EXHIBIT A

My NCBI 7 SNucleotide [Sign in] [Registor] III Databases PubMad Nucleotide Protein Genome Structure DMIM PM" Journals Books Search Nucleotide for Go Clear Limits PreviewIndex History Clipboard Details Format: GenBank FASTA Graphics More Formats ▼ <u>Download</u> ▼ Save ▼ <u>Links</u> ▼ GenBank: U32664.1 Human adenovirus type 35 pVIII (L4) gene, early region 3 Change Region Shown (E3) genes, and fiber (L5) gene, complete cds Customize View Features Sequence Analyze This Sequence HAU32664 5301 bp DNA linear VRL 13-SEP-1995 Human adenovirus type 35 pVIII (L4) gene, sarly region 3 (E3) U32664 U32664 DEFINITION Run BLAST ACCESSION VERSION KEYWORDS Pick Primers U32884, 1 01:984529 Human adenovirus 35
Human adenovirus 35
Viruses: dsDNA viruses, no RNA stago; Adenoviridae; Mastadenovirus;
Human adenovirus B: Human adenovirus B2.
1 (bases 1247 to 3224)
Flomenberg, P. R., Chen, M. and Horwitz, M. S.
Sequence and genetic organization of adenovirus type 35 early SOURCE Recent activity ORGANISM Turn Off Clear REFERENCE AUTHORS TITLE Human adenovirus type 35 pVIII (L4) gene, early region region 3 J. Virol. 62 (11), 4431-4437 (1988) JOURNAL <u>U32664</u> (1) 3. VICOL 52 (11), 4431-4437 (1900) 3172347 2 (bases 1 to 5301) Basier.C.F., Flomenberg,P.F., Chen.M. and Herwitz,M.S. Direct Submission PUBMED REFERENCE AUTHORS TITLE » See more... Submitted (28-JUL-1995) Christopher Basior. Microbilegy and Immunology, Albert Einstein College of Medicine, 1300 Morris Park Avonuo, Chanin Bullding, Room 515, Bronx, NY 10461, USA Location/Qualiflers JOURNAL All links from this record **FEATURES** Related sequences /urganiam="Human adanovirus 35" /mol_type="genomic DNA" /strain="Holdon" /db_xref="taxon:10522" /map="78-91 map units" Full text in PMC Protein PubMed /mote="L4: late mRNA family 4: etructural protein" COS PubMed (weighted) /note="L4; late mRNA family 4; etructural protein"
/codon_start=1
/product="pvill"
/protein_id="AAA75322_1"
/db_xref="GI:984530"
/translation="MSKEIPTPYMWSYOPQMGLAAGASQDYSTRMNWLSAGPSMISRV
NDIRAYRNO!LLEDSALTYTPROHLNPRNWPAALVYGESPAPTTVLLPRDAGAEVQMT
NAGAOLAGGSTLORHRPRHNIKRLMIRGREIQINDESVSSPLGLRPD@IFQIAGDGRS
SFTPROAVLTLESSSSOPRSGGIGTVQFVEEFTPSVYFNPFSGSPGHYPDEFIPNFDA
ISESVDGYD"
687. 1004 Taxonomy LinkOut CDS /note="E3: early region 3: Ad2 E3 12,5k homolog" /note="E3; early region 3; Adz E3 12, ak nomotog/ /codon_start=1 /product="12,2 kDa protein" /protoin_ld="AAA75323_1" /db_xref="d1:984531" /translation="MSBDAAELSRLRHLDHCRRFRCFARELIEF!YFELPKDHPQGPAHGYRIT!EGKIDSRLQR!FSQRPVL!ERDQGNTTVS!YC!CNHPGLHESLCCLECTEF CDS 958. . 1353 /noto="E3; carly region 3; Ad3 E3 16.0k homolog; possible Ad2 E3 6.7k homolog Adz E3 G. /K homolog"
/codon_start=1
/produot="15.0 kDs protein"
/protein_id="AAA75324_1"
/db_xref="G|:984532"
/translation="MKAFAVLCVLSLiKTELRLSYGLPLLOPGFYNOKNKTFPVVODS
VNFTFPTHKLEAGRLHRFSRSIFPTNTTFKTGGELHGLPTENPWVEAGLVVLGILAGG
LV1!LGYLYTPCFTFLVVLWYWFKKWGPY"
993, 998
/potes"|4 polyA = imple" polyA signal /note="L4 polyA signal" 1187..3679 /note="intron exclased to form E3 mRNA e" 1187..3291 /note="intron oxclased to form E3 mRNA d" 1187.2008 intron intron 1187. 3008 /note="intron excised to form E3 mRNA c" intron /note= intron excised to form 63 mRNA c⁻
1187. 2418
/note="intron excised to form 63 mRNA b"
1338. 1838
/note="E3; early region 3; class | major
hlstocompat|b|||ty binding protein; Ad2 gp19k homolog" <u>intron</u> CDS

/codon_start=1 /product="18,5 kDa protein" /protein_id="AAA75325,1" /db_xref="G1:984533"

```
/translation="MGPILVLLVLLSLLEPGSANYDPCLDFDPENCTLTFAPDTSRIC
GVL (KCGWECRSVEITHNNKTWNNTLSTTWEPGVPEWYTVSVRGPDGSIRISNNTFIF
SEMCDLAMFMSKGYSLWPPSKDNIVTFSIAYCLCACLLYALLCVCIHLLVTTRIKNAN
KKEKMP"
                                                                            1858..2403
/note="E3; early region 3; Ad3 E3 20.1k homolog"
                       COS
                                                                          /note="E3; early region 3; Ad3 E3 20.1k homolog"
/codon_start=1
/produot="20.3 kDa protein"
/protein_id="AAA75326.1"
/db_xref="G1:984534"
/translation="MASLTSLIFVSIVTAAHGGTVVSIPLGHNYTLIGPPITSEVIWT
KLGSVDYFDIICNKTKPIIVTCNIONLTLINVSKVYSGYYYGYDRYSSGYRNYLVRVT
QLKTTKMPNMAKIRSDDNSLETFTSPTTPDEKNIPDSMIAIVAAVAVVMAL!!ICMLL
YACRYKKFHPKKQDLLLRLNI"
2421. 2984
                                                                         YACRYKKFHPKKQDLLLRLNI"
2421. 2984
/note="E3; early region 3; Ad3 20,5k homolog"
/uodon_start=1
/product="20.6 kDa protein"
/protein_id="AAA75327_1"
/db_xrof="G1:984535"
/transiation="MVSTTTFLMLTSLATLTSARSHLTVTIGSNCTLKGPQGGHVFWW
RIYDNGWFTKPCDQPQRFFCNGRDLTIINVTANDKGFYYGTDYKSSLDYNIIVLPSTT
PPPRTTTFSSSSVANNTISNPTFAALLKRTVNNSTYSHTTISTSTISIIAAVTIGISI
LVFTITYYACQYRKDXHKGDPLLRFDI"
                     CDS
                                                                         2026. 3301
/note="E3: early region 3; Ad2 E3 10.4k homolog"
/codon_atart=1
/product="10.3 kDa protein"
/protein_id="AAA75328.1"
/db_xref="61:984536"
/translation="Mypphetext | Loashvoitstandiannose
                    CDS
                                                                          /translation="Myprnffftilicafnycatftavatatpdcigafasyalfafy
TCICVCSIVCLVINFFGLLDWILVRIAYLRHHPEYRNONIAALLRLI"
                                                                         3306., 3710
/note= E3: early region 3: Ad2 E3 14.5k homolog*
                    CDS
                                                                       /note="E3: early region 3: Ad2 E3 14.5k homolog"

/codon_start=1

/product="15,2 kDa protein"

/protein_lo="AAA75329.1"

/db_xref="di:984537"

/translation="MOA!LP!FLLLLPYAVSTPAAYSTPPEHLRKCKFQQPWSFLAC

YREKSE!PPNL!M!AG!!N!ICCT!!SFL!YPLFDFGWNAPNAHDHPODPEEH!PPON

MQHP!AL!DYESEPQPPLLPA!SYFNLTGGDD"

3703 4110
                                                                        3703.,4110
/note="E3: early region 3: Ad2 E3 14.7k homolog"
                   CDS
                                                                      /note=153; early region 3, Au2 Lo 17, A Nombleg
/codon_start=1
/codon_start=1
/product=15, 3 kDa protein"
/protein_id="AAA75330.1"
/db_xref="61:984538"
/translation="MTETLITSNSAEDLLDMDGRYSEORLAGLRIRGGGERVAKELRD
VIGIHOCKKGIFCLYKOAKISYEITATDHRLSYELGPOROKFTCMVGINPIVITOOSG
DTKGCiHCSCDSIECTYTLLKTLCGLRDLLPMN"
A108 A111
                                                                      DIRECTHOSCUSIESTILLATEQUADLE FROM
4108., 4111
/noto="possible E3 polyA signal"
4123., 4128
/noto="E3 polyA signal"
4316., 5286
/noto="coll surface receptor binding protein: L5: late
mRNA family 5"
/codon start=1
                  polyA_signal
                  Lengis Avlog
                  CDS
                                                                     mRNA family 5"
/codon_etart=1
/product="floor"
/protoin_id="AAA75331_1"
/db_xref="G1:984539"
/translation="MTKRYRLSDSFNPYYPYEDESTSOHPFYNPGF:SPNGFTQSPDG
VtlkCLTPLTTIGGSLOLKYBGGLTVDDTDGTLQEN!RATAP!TKNNHSYELSIGNG
LETQNNKLGAKLGNGLKFNNGDIC!NDS!NTLWTG!NPPNCQ!VENTNTNGGKLTLV
LYKNGGLVNGYYSLYGYSDTVNGNFTGKTAN!DLRLYFDSSGNLLTEESDLK!PLKNK
SSTATSETVASKAFMPSTTAYPFNTTTRDSENY!HG!CYYWTSYDRSLFPLN!S!ML,
NSRN!SSNVAYA!QFEWNLNASESPESN!ATLTTSPFFFSY!TEDDN"
5287. 5292
                                                                      5287..5292
/note="L5 polyA signal"
                 polyA signal
             ORIGIN
```

agtattotot atggootoot agcaaggaca acatogtaac gitotocatt gottattgot 1921 1981 2101 2161 2461 2641 2821

White to the Help Desk

NCB| | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Ad | Disclaimer

www.ncbi.nlm.nih.gov/nuccore/984529

//